

SPRING & SUMMER EDITION |

VacutruX Original

Valve Heat Collars

Stainless Steel Construction



Available in...
2, 3, 4, 6 & 8
inch sizes

6" Stem Valve Handle

Stem Valve Combo

Dixon Global

6" TV6SV/QCI6F/QCI6DC
4" TV4SV/QCI4F/QCI4DC

Includes:

- RIV Quality Brass Valve
- Dixon Global Aluminum Part F, DC (Premium Line available)



See page 4 for
all Valves/Cylinders

Lever Valve Combo

Dixon Global

3" TV3LV/QCI3F/QCI3DC
4" TV4LV/QCI4F/QCI4DC
6" TV6LV/QCI6F/QCI6DC



Reliable Service...

...at extreme low temperatures

wallenstein EXHAUST NEUTRALIZER

Fresh
EX

Ready to Use!

- Safe, All Natural
- Biodegradable
- Non-Toxic




TADOGJPG

Install Kit:

Vacuum draws Fresh-EX formula from the stainless steel reservoir to your pump. A sight feed valve regulates the flow; Ball valve isolates when not required.

Call for Details...



Effective Exhaust Odor Control

TADOFXR

Panthertail

UBK Black PVC

Lightweight & Flexible

2" SH2PTII

3" SH3PTII



2" Combo Set



Valve, Wand,
40 ft. Hose with
Barb & Part C

Dragontail

Black or Green

Tested & Proven
For -40°F to 140°F

BEST SEPTIC
VACUUM HOSE

EDM rubber with
polyethylene helix
corrugated outside



- Durable pumper hose
- All weather suction hose
- Rigid to minimize whip



Smooth bore
or corrugated O.O.

Wand & Hose Combo TV2BVWHA

Wand/Valve Only TV2BVWA

2" SH2DT

3" SH3DT

4" SH4DT

6" SH6DT

Made in the USA

2" Poly Ball Valves Standard or 90°

Standard



TV2BVFPF

90°



TV2BVAP

2" Tigertail

- Flexible to -40°F
- Factory Moulded
- Crush & Leak Proof End Cuffs

3" also available!
3" x 30'
SH3-30TTA

2" Cuffed Hose

25' SH2-25TTR

40' SH2-40TTA

50' SH2-50TTR



**The Original Hi-Vac
Yellow & Black**



VacutruX

Wire reinforced, high temperature,
oil resistant, rated to 150PSI.

2" SH2VAC

3" SH3VAC

4" SH4VAC



MORE

Hoses & Fittings

See page 2

Get your VACUTRUX account today!
Conditions apply, OAC

519.669.1625 • info@vacutruX.com • vacutruX.com

Toll Free in
Canada & USA

1.800.305.4306

Choose the BEST Hose...



DRAGON
TAIL

Dragontail

Black or Green

- Rigid to Minimize Whip
- Durable Outer Helix
- Ideal for Septic Service



PANTHER
TAIL

Panthertail

UBK Black PVC

- Light Weight, High Flex
- Stays Flexible in Cold
- Easy to Manage
- Ideal for Toilet Service



TIGER
TAIL

Tigertail

Yellow/Black

- Crush and Leak Proof
- Flexible Even at -40F
- Ideal for Portable Sanitation

See Page 1 for Sizing...

Dragontail HD

Braided to protect from hose splitting. Black only.

3" SH3DTHD



Punch Tool & Clamps



Punch Tool FPF100

Clear Suction Hose

Clear with green helix, PVC for visual flow inspection.

1.5" SH1.5CPVC
2" SH2CTPVC
3" SH3CTPVC
4" SH4PVCSD4
6" SH6STCHPVC



For Repair or New Hose
Heavy Duty Center Punch or Gear Style

	CENTER PUNCH	HEX GEAR
2"	FP2PLC	FP2TC
3"	FP3PLC	FP3TC
4"	FP4PLC	FP4TC
6"	FP6PLC	FP6TC

Boom Hose

Black corrugated flex hose with steel wire for vacuum boom use.



More Sizes Available...

8" TC8ABHP

Safety Locks



VELCRO

2/3"

QCVCS2-3

4/6"

QCVCS4-6

PLASTIC

2"

QCPLC2

3"

QCPLC3

4"

QCPLC4



Looking for something specific?
Call or email today for the answer.

Vacutrux has solutions for all types
of industrial vacuum applications.



Swivel Fitting

Stop looping, reduce breaks, great for wands

2" QC12DSW

3" QC13DSW

Basket Strainer

Attach to hose end with barb or camlock fitting.

2" SH2SS

3" SH3SS



Hose Barbs

With NPT Thread

2" PF2HB

3" PF3HB



Hose Savers for use with 3" loading lines

- Absorbs "whip" during pumping for extended hose life
- Tigertail (Hi-Vac) or Maxx hose style 3', 6' or 10' length
- Factory moulded crush & leak proof end cuffs

Maxx Saver


Tough, flexible,
wire-reinforced with
hose fittings

SH3VACM/QC13C/QC13E

Tigertail Saver - 3' SH3-3TTA1C

Includes 3" M x F aluminum fittings

QC3C/QC3E/FP3PLC (x2)



HydroVac & Trencher

Replacement Parts and Accessories

Filter Cartridges

Premium filter elements
for wet and dry applications

18" D x 18" L
TC18-18FC

18" D x 24" L
TC18-24FC



Other sizes
available...

Extension Tubes

M x F fittings, aluminum pipe.
Also with clamps and gasket.
Custom lengths available.

Sizes: 4, 6 & 8 inch
Lengths: 3, 5 & 8 ft.



R.V. Hose Adapter

Fits 3" R.V. Drains,
includes 2" hose fitting
and clear sight hose

Complete with Hose
TCRVHA



3" MNPT x Bayonet Hook
PF3-RVABS



Spreader Plate

For Application
or Vacuum
Shovel Use

4" QC4FSP

6" QC6FSP



Squeegee Tool

Great for vacuuming
on flat surfaces

2" TC2VS

3" TC3VS



Telescopic Boom

Complete assembly
or single parts

Call for pricing

- 8" & 10" Swivels
- Hydraulic Kit
- Easy Retraction
- Control Pendant
- WORCS Option



4", 6" or 8"



7AM - 5PM EST • MON-FRI • 1.519.669.1625

Toll Free in
Canada & USA

1.800.305.4306

Heavy Duty Drum Vac

Aluminum construction with 2" camlock connection to work with standard hoses.

For Grease Trap Cleaning/Recovery

Fits 2" Camlock Hose

50' Power Cord

vacutrix
25HP 110V 45 GAL **HEAVY DUTY DRUM VAC**

Complete Unit
TADVA45GA

Also Sold Separately
Easily convert a 45 gallon drum into a powerful vacuum.

Drum Vac Power Head TAPC3
Drum Vac Converter TADC

Submersible Lift Pump

3" Lift pump only or with 100' Hydraulic Hose Kit



High Lift

Lift to 75 feet plus suction from truck

Light Weight

25 lbs. (11kg)
Aluminum Body

Compact

Fits through 12" openings


High Volume

Flows over 400 GPM



Pump Only
TCSLP

Pump with 100' hydraulic hose kit
TCSLPK100



- Power head with 80" Stem Length
- Collapsing blades fit through 4" pipe
- 2" & 4" Extensions available

13" BLADE

TACBTH2BP80/TACB2E/TACB4E

The original Crust Busters

Tank Agitator

Tank Mounts Available



TABUCK

Back Up Camera Kit

Complete truck CCTV system
12V CCD camera, bracket,
7" colour TFT-LCD 3 input,
Remote control, mount kit.

Call for pricing...

Cone Adapter

- 2" Male camlock hose connection
- Rubber cone for a tight vacuum seal
- Versatile vacuum hose fitting
- Fits any round opening from 2-4"

Dixon premium 2" aluminum camlock fitting
Urethane cone tip size from 1.5" to 4.5" wide

Ideal for vacuuming pipelines...



QC2CFU

High Flow Water Pump

Pump / Motor
12v, 1HP Electric
Flow 56 GPM
Pressure 35 PSI
Severe Duty
Stainless Impeller

Cast Iron Housing
Stainless Steel Housing



TA489G-95

TA489G-98

Installation Kit

Y-Strainer & Ball Valve
Pump & Motor
Mounting Plate with Solenoid Breaker
Fuse Switch
Lead Wires



Perfect for up-fitting any sanitation truck...

Call for Pricing

12V High Pressure Water Pump

Pump / Motor
Pressure 650 PSI
Electric 12v, 2.1 GPM

TA2.1GIA12V

Pressure Unloader Valve

TA2.1HPUVW

Pressure washing,
ideal for Light
GVW Trucks



Pressure Washer Gun

2000 PSI



TAHPGJ

Back Flush



TAVJ.375

Nozzles 3/8"

Wash
TAHPWSN



Cut
TAHPWSNC



PTO Drive


Pressure 2000-4000 PSI
Drives: Hydraulic Gearbox
or Gas Engine
TA2.1GIAHHP

High PSI
Triplex
Plunger



Install Kit

Stand with 12V
Control Switch
100 ft
3/8" Hose



TA2.1GIA12VK

HONDA ENGINES



Electric Start Air Cooled

Always in Stock

5HP, 6HP, 11HP,
13HP, 20HP, 22HP

Call for Pricing



Low Profile Spring Drive Retractable

Compact design
fits toolboxes

TA14000 - 3/4" x 50' hose



Adjustable Mount

Extreme Duty
Powder Coated

TAHR1062 - 3/8" 100' Hose

Toolbox Kit for Frame Mounting Available

See page 5

Call for Configuration Information



7AM - 5PM EST • MON-FRI • 1.519.669.1625

Toll Free in
Canada & USA

1.800.305.4306

Betts Valves

Quick opening valve, tight seal. Steel body with stainless gates.



3" TV3BESV

4" TV4BESV

6" TV6BESV

Manual Handle
Included
Call for Pricing

Also available with:
FLG x FLG Air Cylinder
ANSI FLG Stainless Body

RIV Gladio Valve

Cast Iron Body w/
Stainless Steel Gate
6", 8" or 10" sizes

Manual Handle,
Hydraulic or Air Cylinder
Available (additional)

CUTTING
ACTION
GATE

6" TV6FGSV



Stem Valves

Threaded (NPT) or Flanged (FLG)

VALVE SIZE & CONNECTION TYPE	VALVE PRICE & MODEL
4" NPT x NPT	TV4SV
4" FLG x FLG	TV4FSV
4" FLG x NPT	TV4FNSV
6" NPT x NPT	TV6SV
6" FLG x FLG	TV6FSV
6" FLG x	TV6FNSV
8" FLG x FLG	TV8FSV

Relief Valves

Pressure
Relief

1.5" TV150PR

2" TV200PR

Vacuum
Relief

1.5" TV150VR



V/P Gauges

- Vacuum / Pressure
- 30-0-30 Liquid Filled

2.5" BOTTOM MOUNT TCG1T004

2.5" BACK MOUNT TCG12502

4" BOTTOM MOUNT TCG1P545



Bottom or Back Mount

Manual or Automatic Controls for Stem Valves

Hydraulic Cylinders

For RIV Brass Stem Valves



Stem Valve Handle

4" TV4SVH

6" TV6SVH

8" TV8SVH

SINGLE-ACTING
SPRING RETURN

4" TV4HCSJ

6" TV6HCSJ

8" TV8HCSJ

SINGLE-ACTING

4" TV4HC

6" TV6HC

8" TV8HC

DOUBLE-ACTING

4", 6" TV4-6HCD

8" TV8HCD

Air Cylinder

Double-acting for
RIV Brass Stem Valve



4", 6"
8"

TV4-6WAC

TV8ACB

Valve Heat Collars

Stainless Steel

THREADS NPT

2" TC2HVCTHSS 2" FNPT

3" TC3HVCTHSS 3" FNPT

4" TC4HVCTHSS 4" FNPT

6" TC6HVCTHSS 6" FNPT

TTMA and ANSI Flange
Patterns Available



Reliable Service...

...at extreme low temperatures




RIV Brass
Lever Valves

Dual pivot disc
assures a tighter valve
seal compared to
competing one-piece wedge style
valves. Avoids clogging from
material deposits.

VALVE SIZE & CONNECTION TYPE	VALVE PRICE & MODEL
1" NPT x NPT	TV1LV
1.5" NPT x NPT	TV1.5LV
2" NPT x NPT	TV2LV
3" NPT x NPT	TV3LV
4" NPT x NPT	TV4LV
4" NPT x FLG	TV4LVF
6" NPT x NPT	TV6LV
6" NPT x FLG	TV6LVF

Ball Valves



.25" TV.25BVB

.5" TV.5BVB

.75" TV.75BVB

1" TV1BVB

1.5" TV1.5BVB


2" TV2BVB

3" TV3BVB

4" TV4BVB

Safety Components

Primary / Secondary Shutoff



2" PRIMARY
WITH SIGHT
TV2PPCVS

2" PRIMARY
TV2PPCV

3" PRIMARY
WITH SIGHT

3" PRIMARY
TV3PPCV

2" SECONDARY
TV2SMT P90

2" SECONDARY
TV2SMT P

3" SECONDARY
TV3SMT P90

3" SECONDARY
TV3SMT P



7AM - 5PM EST • MON-FRI • 1.519.669.1625

Toll Free in
Canada & USA

1.800.305.4306

Air Cylinder Control Kits

Convert your manual stem valve into an automatic
Requires a 4" or 6" stem valve and air cylinder

Air Only

For in-cab only

- Control valve, 2 way, detent style (in cab)
- Brake air line 100 ft.
- Brass breather vents
- Tube connectors
- Union tube tee

TV4-6SVACK



Electric over Air

Cab and chassis mount switch

- Control valve, 12v, 2 position
- Brake air line 100 ft.
- Waterproof box assembly
- 12v switch (for in cab)
- 2-Wire 40 ft.
- Breathers
- Connectors

TV4-6SVACK12



Safety Air Valve

70 PSI



PPSAV

Mini Regulators with Mini Gauge for PSI Settings

PPMR Regulator

PPMG Gauge



Breathers Brass Vents

1/8" B.F. 12BVBR

1/4" B.F. 25BVBR




Tank Mounts

For repairs or new builds

Spring Bracket Bolt-down Set

Galvanized steel brackets, GR 9 bolts and quality heavy duty springs



TB2BTBSG

Mounting Pads

Stainless steel channel with solid 1" x 3" rubber pad
4 foot lengths



TATMARA

CUSTOM BUILT BY VACUTRUX

Toolboxes

Steel / SS Box / Aluminum Boxes, Stainless T-Handle Key Locks, Custom Sizes Available

24" 22" x 22" x 24" TA24TBA
36" 22" x 22" x 36" TA36TBA
48" 22" x 22" x 48" TA48TBA



Checkerplate Aluminum Door

Mount Brackets

Galvanized Steel Construction call for configuration...



Vacutrax Mudflaps

Heavy Duty Black Rubber with White Logo

TC24BVMF



No-Fly Bracket

Chrome Plated

WPVMNFB



VACUTRUX ANGLE DRIVE SYSTEMS

Drive Products

T-Type Gearboxes

30HP

0.75" SHAFT

DPL25A

50HP


1.25" SHAFT

DPT19A

80HP

1.5" SHAFT

DPT278



Flip the gearbox for CW / CCW

Replacement Oil Seals & Bearings Available

FOR HYDRAULIC MOTOR OR GEARBOX DRIVE

Flexible Drive Inserts

High-performance couplings used for drive shaft connections
Flexing action protect pump from shock and vibration



* Also available: HYTREL ORANGE

SF

EPDM* BLACK



MAG

HYTREL LIGHT BLUE



QF

URETHANE BLUE

Also available:
Coupler Hubs
— spare parts
or complete sets

#6 DP6JWCS

#7 DP7JWCS

#8 DP8JWCS

#9 DP9JWCS

#270 DPMIH270

#470 DPMIH470

#570 DPMIH570

#670 DPMIH670

#5 DPQF5CIB

#15 DPQF15CIB

#25 DPQF25CIB

#50 DPQF50CIB

VACUTRUX ANGLE DRIVE SYSTEMS

Angle Drive Shaft Replacement Parts

Complete assembly (DPW2300DS) or spare parts for drive-lines

Main Drive-line


(PTO to Gearbox)

50HP

1.25" YOKE

80HP

1.5" YOKE



Cross Shaft


(Gearbox to Pump)

50HP

1.25" YOKE

80HP

1.5" YOKE



50HP 1280 Complete (DPW1240CCS)

CROSS SHAFT PARTS

- 1 End Yoke Gearbox DP2-4-1413
- 2 End Yoke Pump DP2-4-1413
- 3 Spline Yoke Adj. DP279963300
- 4 Spline Yoke Shaft DPW1240DLS
- 5 Hex Jam Nut FP37JHNN
- 6 Cross Kit DP1240CK

New shafts are shipped extra long, or provide a shaft to shaft dimension when ordering pre-cut.

MAIN DRIVE-LINE PARTS

- 1 End Yoke DP21.24.158
- 2 Shear Yoke DP2300SY
- 3 Shear Bolt DPSB2300-2
- 4 Shear Bolt Nut DPSBN2300-2
- 5 Tube Yoke Inner DP041576
- 6 Tube Yoke Outer DP041577
- 7 Tubing Inner DP169597
- 8 Tubing Outer DP395842
- 9 Yoke Spring Pin DP020616
- 10 Cross Kit DP2300CK
- 11 End Yoke (No Bolt) DP800-8410

Grease cross kits monthly with NLGI#2 universal joint grease. Also, check that gearbox and PTO bolts are tight.



7AM - 5PM EST • MON-FRI • 1.519.669.1625

Toll Free in
Canada & USA

1.800.305.4306

Tank Components

Tested and Proven Reliable Protection

3" size shown



2", 3", 4" & 6"

HOT DIP Galvanized
LONGEST SERVICE LIFE

Secondary Moisture Trap

Located between the primary check valve and vacuum pump to collect materials from air-stream. Bottom ball valve drain.

Primary Check Valve

Protects the vacuum pump by stopping the flow of air when the tank is full.



Oil Catch Muffler

Separates oil from the pump's exhaust and reduces noise.



Sight Eyes

Premium Tempered Glass 5" TCSE450

Complete set with weldment



Gasket (NEO) TCSE0453NE



Bowl TCSE6452



Wheel TCSEH454



Plate TCSEP451

2" Sight Eye

Poly Bubble TCSE6201



Plated Steel TCSE6205



Machined Weldment TCSEB203

Level Indicators

Solutions for measuring load weight/volume
Precise loading, easy to operate systems

Also Available: Rotary Float with Pointer
Call for configuration and pricing

On Board Truck Scale

Accurate, Economical

- Digital weight system
- LCD mounts in cab
- Shows kilos/lbs/tons
- High accuracy to +/- 1% GVW



Works with all suspension types, air, leaf spring, and equalizing beam, without modifications to tank or truck chassis. Intuitive design with back-lit display panel.


Digital Float Level

Product volume, LED readout

Call for pricing...

Can be used in multiple compartment vacuum tanks. In-cab or outside display.

TCSL806BK



Float Balls and Seals

For Vacutrix Shutoff Components

Protect your vacuum pump from carry over, by ensuring a tight shutoff seal.

Rubber Seal



Stainless Steel Float Ball



100mm Rubber TC100FB

3.5" Stainless Steel TC3.5FBSS

6" Stainless Steel TC6FBSS

8" Stainless Steel TC8FBSS

9" Stainless Steel TC9FBSS

10" Stainless Steel TC10FBSS

12" Stainless Steel TC12FBSS

14" Stainless Steel TC14FBSS

RUBBER SEAL

Seal for 6" Ball TC60RS

Seal for 8" or 9" Ball TC90RS

Seal for 12" Ball TC120RS

WEIGHTED FLOAT BALLS


6" Stainless Steel 2lb TC6WFBSS

6" Stainless Steel 3.5lb TC6HWVBSS

Neoprene Gasket Material - 3/4" x 1"

Buy only original seals for your Vacutrix equipment.
We carry super durable gasket material to fit all of components manufactured by Vacutrix.

Call for Pricing...
TC.75-1NG



- Primary Check Valve
- Secondary Moisture Trap
- Dome Hatch Rear Door

Full Opening Rear Door (F.O.R.D.) Gasket

Our Full Opening Rear Door (F.O.R.D.) gasket material has been engineered to maintain a strong leak proof seal.

Pricing by foot...
TCFORDG



V/P Test Cap

Check performance at load port or hose end

3"
4"



Relief Valve Tee

Pressure and vacuum relief

2.5"


Compound Gauge



Cam Latch Kit

DHCLRK

For Vacutrix Hatch
Easy to Install
Quick Release



Deflector Plate

For Load Port Internal Riser Pipes

3" TC3RDCW

4" TC4RDCW

6" TC6RDCW



Directs steam away from top/side of tank to extend tank service life.



7AM - 5PM EST • MON-FRI • 1.519.669.1625


Toll Free in
Canada & USA

1.800.305.4306

Vacutrux Lighting Products

Vacutrux—First to introduce
Betts Lighting—Today's
industry leading choice

Aluminum Tail Light Module



Vacutrux
Light Module
Complete Assembly

Curbside or Roadside

Includes 20' lead cables for wiring
to junction box and marker lights.

Incandescent or LED

LP3BLM-L LP3BLMLED-L
LP3BLM-R LP3BLMLED-R

Vapour-proof, common ground,
hard-wire LED or Incandescent

Complete Lights, Lenses and Bulbs (Incandescent or LED)



Top/Rear Trilight
LPTR3



Tank Side Marker Round
(Red or Amber)
LPBRSM56 R/A



Tank Side Marker Rectangle
(Red or Amber)
LPBS200 R/A



Stop/Turn Signal
Tail Module (Red)
LP40282R

Always in Stock

We also carry replacement parts for
Lenses, Grommets, Bulbs and Hardware

License Plate Light

Incandescent or new LED option



LPLPLB



LPLPLBLE

Backup Alarm

12v-24v DC with
mounting bracket

LPBUALD



Specialty Lighting

Full selection of
Safety and Work
Lighting Products

LED Strobes

Amber
Revolving
Beacon



4" LPSLAED
8" LPSLAED8

Bars and Arrows

Split Arrow Set
24" or 36" Bar



LPSLD24

Floodlamp LED Hella

LP357106002




Toilet Rack Lighting Parts



Tail Light
LP60202R

Grommet
LP60700



License Plate
Light
LP60251



Side Marker
LP10205R



Bulb

Replacement Sockets

For incandescent lights

Stop/Tail

- Single Contact
- Shallow Lens



LP920015

Turn

- Double Contact
- Deep Lens or Shallow Lens



LP920013



LP920103

Transporter & Comfort Station

Replacement Parts • Lighting Parts



Clearance
Marker
LPCRL



Tail Light
LP-TL

Available in
Incandescent or LED



Tri Light

LP-TRL/LP-TRLLED/LP-TRLL



EXPLORER

explorertrailers.com

Toilet Carrier

Safely transport portable
toilets with the Vacutrux
Folding Toilet Carrier Rack

- Rugged Design
- Spring Assist
- Two Position Lights
- Anti-shift Pockets
- Dual Tie-down Straps
- Easy Loading

Standard Widths
91" or 99"



Galvanized deck for corrosion protection

Water Pumps

3 GPM Electric

12v TPSWP12V

110v TPSWP110V

110v/plug TPSWP110V/P



Trailer Jacks

5000 lb TPJ5000

7000 lb TPJBD7000

Safety Chain Set

TPSCH



Winch Straps

2" with Snap Hook

15' TP-S2-BH

20' TP-S2-20

25' TP-S2-25

Galvanized Winch Handle



Call today for pricing and configuration



7AM - 5PM EST • MON-FRI • 1.519.669.1625

Toll Free in
Canada & USA

1.800.305.4306

pickuptanx

Portable Vacuum Systems

- Hot dip galvanized for longest life
- Powerful Wallenstein vacuum pumps
- Standard or custom specification configurations

HOT DIP
Galvanized
LONGEST SERVICE LIFE

Single or Dual
Compartments



Units in Stock
from 70 to
700 gallons

32 & 68
Vacuum
Pump Oil
Heavy or Light

4L R032-4 / R068-4

20L R032-20 / R068-20



Stainless
Steel 4L

Vacuum Pump
Flushing Tank Kits

Poly 4L
VPPFTA4L




Attaches to
Pump Flush Port

Portable Sanitation

- Sanitation
- Septic Service
- Industrial


Powered by
Wallenstein
vacuum pumps



151
SERIES
80
CFM



202
SERIES
115
CFM



302
SERIES
165
CFM

North America's Only Full Line of Rotary Vane Vacuum Pumps

Rebuild Kits & Vanes

Always in stock,
original factory parts
for all Wallenstein models.

151 • 202 • 302 • 402
403 • 553 • 753
1054 • 1604 • 2106



EXPLORER

explorertrailers.com

Handwash Stations

8 Sink Unit



Also
Available

- Transporter trailers from 1 to 24 toilets
- Handwash trailers • Restroom trailers

Visit Our Showroom

Trucks • Tanks • Parts & More...

7am to 5pm EST • Mon to Fri

20 Martins LN,
Elmira, Ontario,
Canada, N3B 2A1

Phone: 519.669.1625
Fax: 519.669.8331
info@vacutrux.com
vacutrux.com



Get your Vacutrux
account today...
Conditions apply, OAC

Made in Canada for Canadian Winters

TAHP2-18B



Heat probe immersion tank heater uses hot
engine coolant to rapidly warm up water in
tanks and water compartments.

- Septic
- Sanitation
- Industrial
- Hydrovac
- Agriculture

Vacutrux specializes in
manufacturing quality
environmental vacuum
tank systems, stocking
many **specialty parts** and
vacuum equipment.

Quality Vacuum Equipment

Why deal with anyone else?
Vacuum Systems are OUR Specialty!

Toll Free in
Canada & USA

1.800.305.4306

Only
from
vacutrux
The Experts in Vacuum